Royalston Historic District Commission

Royalston, Massachusetts, 01368

| Application for Certificate | | |
|---|--|--------------------------------|
| Applicant Name(s) Jason Fortunato | | |
| Address of Property 2 On The Common | n | |
| Owner's Name Jasch | FORTUNATO | |
| Address of Owner: Street PO F | 30x 36 | |
| City, State, 2 | Zip | Phone: |
| including dimensions documents. Only one commission member | s, measurements, exact colors, materials, etc e change request per application. Return fo | |
| Please check the certificate applied for: | | |
| X Appropriateness | Non-Applicability | Hardship |
| Description of changes (attach additional | al sheets and exhibits if necessary): | |
| | | |
| | | Jan Jaley |
| | | Signature |
| | For Office Use Only | |
| Date Received 9/21/06 | Date Accepted 9/21/06 | Public Hearing Abutter notices |
| Decision Approved 10/26/0 | 6 | Certificate Number |

Roofing Solutions: Why Use a System - Quality Shingles





"Value & Performance In A Wood Shake Look"

The unique "Shadow Accent" effect results in maximum dimensionality depth





Click image above to view Timberline 30 shingles on a house.

for HOMEOWNERS

- Attractive Appearance... Features the distinctive Shadow Accent™ effect.
- Great Value... Architecturally stylish but practically priced.
- Stays In Place... Dura Grip® adhesive seals each shingle tightly and reduces the risk of shingle blow-off.
- **Peace Of Mind...** 30-year ltd. transferable warranty with Smart Choice® Protection for the first five years (non-prorated material and installation labor coverage).*
- Perfect Finishing Touch... Distinctive TIMBERTEX® Ridge Cap shingles lend the perfect finishing touch (in the West, use PacificRIDGE™ or Universal Ridge Cap Shingles; in the Southeast, use Universal Ridge Cap Shingles).
 - *See Itd. warranty for complete coverage and restrictions
 (To view shingle colors on a house like yours, click here)

for PROFESSIONALS

 More Referrals... People will know that you're installing America's #1-selling laminated shingles!

Application Instructions

If you do not have the "Plug-in" for your browser, click the button to download the reader, Free!



Metric Sized Shingles:

- For shingles made in plants other than Tampa and Mobile
- · For shingles made in Tampa and Mobile plants, NOT to be installed in Dade County, FL
- For shingles to be installed in Dade County, FL

English Size Shingles

Specifications for Timberline 30

Standard Weight Design
30 Year Ltd. Transferable Warranty
Smart Choice® Protection for the first 5 years
70 mph Ltd. Wind Warranty
Fiberglass Asphalt Shingle
Class A rating from UL
Algae-Eater™ Protection available in certain areas
(check sample board for details)
Passes UL 997 Wind Test



CSA A123.5-M90 and CSA A123.5-98

ASTM D3018 Type 1 ASTM D3161 Type 1 ASTM D3462*

Meets Wisconsin Administrative Code Approx. 64 Pieces/Sa. (Metric)


Approx. 64 Pieces/Sq. (Metric) Approx. 78 Pieces/Sq. (English)

3 Bundles/Square

Approx. 264 Nails/Sq. (Metric) Approx. 312 Nails/Sq. (English) 5 5/8" Exposure (Metric) 5" Exposure (English)

*Product is manufactured to meet or exceed ASTM D3462; values from subsequent testing may vary depending on storage conditions.

For Distinctive Ridge Cap Shingles, use matching TIMBERTEX® or PacificRIDGE™ Ridge Cap Shingles



13-1/4" x 39-3/8" Metric 12" x 36-15/16" English



Timberline® 30 shingles are available nationwide









(Back to Top)