## Royalston Historic District Commission

P.O. Box 125 Royalston, Massachusetts, 01368

Web site: http://www.royalston-ma.gov E-mail: hdc @ royalston-ma.gov

## **Application for Certificate**

#### **Instructions:**

- Use separate applications for changes that are not related to each other.
- Include sketches or pictures showing design, sizes, colors, materials, etc. (a sketch is worth a thousand
- File five copies of the completed application at an HDC meeting; or mail, e-mail or give them to a commission member for filing at the next meeting.
- It is recommended that applicants attend the meeting or send an agent. Even well prepared applications generate questions and answering them quickly will avoid delays.

<ul> <li>Until the work is started, certifications started it must be completed</li> </ul>	ficates expire if one year elapses or diligently.	in case of sale. Once the work is
• If you have any questions, plea	as contact the Commission	
Date: September 18, 2019		
Address of Property: 13 On the Co	ommon, Royalston, MA 01368	
Owner's Name: Town of Royalston	n	
Applicant's Name: Christine Long		
Applicant's mailing address: Street	et/P.O. Box: 13 On the Common	
City	, State, Zip: Royalston, MA 01368	
Please check the certificate applied    Appropriateness	d for:  X Non-Applicability	□ Hardship
Short description of the proposed of	changes. (Provide the details on page 2 and	d on additional sheets and exhibits as necessary).
₩8		
		Christine Long
, who		Applicant's Signature
	For Office Use Only	
Date Filed 4 18, 2019	_ Received by hete & Grand	Application Number 2019-09-2
Date Accepted for consideration_	9/19/19 Public Hearing   Notices	mailing date(s)
Continuation date	Applicant's signature	Date
Decision opp smal	Chairperson's signature / tts /	DateDateDate
Comments or conditions:		

## Detailed description

# **Description of Generator Project Behind Town Hall September 18, 2019**

The generator and the propane tank currently installed in the parking lot between Town Hall and the First Congregational Church provide three-phase power for the elevator. It will not be necessary for this purpose once National Grid provides that power via buried power lines. However, the Emergency Management Director and the Fire Chief recommend that the generator be kept at Town Hall to provide for continuity of government in the event of a power outage, as well as an emergency shelter.

The Fire Chief has identified a permanent location for the generator, along the back boundary behind Town Hall. There is an orange blaze on a small tree along this line, which marks the left-hand edge of where the generator will sit. The generator will thus not be visible from a public way and will likely be further shielded by plantings in front of it.

The propane tank will be buried in a vault, a technology the Fire Chief has overseen in other situations in town. At most, a small cap, about the dimeter of an access hole, will be visible above this underground vault.